NISHIOKA et al. -- 09/957,471

Attorney Docket: 009523-0283651

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the

application:

1. (Withdrawn) A variable-optical-characteristic optical element characterized by using

at least two selected from the group consisting of electrostatic force, electromagnetic force, a

piezoelectric effect, magnetostriction, a fluid pressure, a magnetic field, an electromagnetic

wave, a temperature change, and a photomechanical effect.

2. (Withdrawn) A variable mirror characterized by using at least two selected from the

group consisting of electrostatic force, electromagnetic force, a piezoelectric effect,

magnetostriction, a fluid pressure, a magnetic field, an electromagnetic wave, a temperature

change, and a photomechanical effect.

3. (Withdrawn) A variable-focus lens characterized by using at least two selected from

the group consisting of electrostatic force, electromagnetic force, a piezoelectric effect,

magnetostriction, a fluid pressure, a magnetic field, an electromagnetic wave, a temperature

change, and a photomechanical effect.

4. (Withdrawn) A variable-optical-characteristic optical element capable of achieving

high-precision optical deflection by combined use of two or more different driving methods

to change optical deflection thereof, wherein each driving method is capable of achieving a

different optical deflection change.

5. (Currently Amended) A variable-focus optical element unit, comprising:

a variable-focus optical element having a fluid portion, and an electrode adjacent to

said fluid portion; and

a power source and a driving circuit for driving said variable-optical characteristic

variable-focus optical element, wherein:

said power source or driving circuit includes a booster member that generates a

voltage necessary in said driving circuit, and

2

NISHIOKA et al. -- 09/957,471

Attorney Docket: 009523-0283651

said variable optical characteristic variable-focus optical element is capable of achieving optical deflection.

6. (Currently amended) A variable-focus optical element unit according to claim 5,

wherein electrostatic force or piezoelectric effect is used for driving said variable-optical-

characteristic variable-focus optical element.

7. (Withdrawn) A variable-optical-characteristic optical element comprising a

deformable optical surface and a member for creating a magnetic field, wherein a substrate of

said optical surface is made of a magnetostrictive material, and said member is capable of

changing an intensity of the magnetic field.

8. (Withdrawn) A variable-optical-characteristic mirror that uses a magnetostrictive

material and comprising a deformable optical surface.

9. (Withdrawn) A variable-optical-characteristic lens comprises a deformable optical

surface and a member for creating a magnetic field, wherein a substrate of said optical

surface is made of a magnetostrictive material, and said member is capable of changing an

intensity of the magnetic field.

10. (Withdrawn) A variable-optical-characteristic optical element comprising a

deformable optical surface, wherein a transparent member for covering a whole deformable

portion thereof is provided near said optical surface.

11. (Withdrawn) A variable-optical-characteristic optical element according to claim 10

which is a variable mirror or a unifocus mirror.

12. (Withdrawn) A variable-optical-characteristic optical element comprising a light

source for driving said variable-optical-characteristic optical element, wherein a substance

having a photomechanical effect is used for deformation of an optical surface, and optical

deflection changes by deformation of the optical surface.

3

NISHIOKA et al. -- 09/957,471

Attorney Docket: 009523-0283651

13. (Withdrawn) A variable-focus lens comprising a light source for driving said varifocal lens, wherein a substance having a photomechanical effect is used for deformation of an optical surface, and optical deflection changes by deformation of the optical surface.

- 14. (Withdrawn) A variable mirror characterized by using a photomechanical effect.
- 15. (Withdrawn) A variable-optical-characteristic optical element characterized by having at least two different kinds of light sources and using a photomechanical effect.
- 16. (Withdrawn) An optical apparatus comprising a variable-optical —characteristic optical element, wherein said variable-optical-characteristic optical element comprises an optical surface, and a space that faces a whole portion thereof that is to be deformed is closed up with a transparent member and a mechanical member, which is characterized in that the variable-optical-characteristic optical element is a variable mirror.
- 17. (Withdrawn) An optical-apparatus comprising a variable-optical-characteristic optical element, wherein said variable-optical-characteristic optical element comprises an optical surface, and a space that faces a whole portion thereof that is to be deformed is airtightly closed up with a transparent member and a mechanical member, which is characterized in that the variable-optical-characteristic optical element is a variable mirror.
- 18. (Withdrawn) An optical apparatus according to claim 16, which is characterized by using an air-permeable mechanical member or transparent member.
- 19. (Canceled)
- 20. (Withdrawn) An optical apparatus according to claim 18, which is characterized in that the variable-optical-characteristic optical element is a variable mirror.
- 21. (Currently amended) A variable-focus optical element unit having a deformable optical surface, which further comprises comprising:

a variable-focus element having said deformable optical surface; and

NISHIOKA et al. -- 09/957,471 Attorney Docket: 009523-0283651

a control system for driving said variable-optical characteristic variable-focus optical element, wherein said variable-focus optical element includes a fluid portion for deforming said deformable optical surface and an electrode adjacent to said fluid portion, and said control system includes a booster member for ereating applying a voltage necessary for driving said variable-focus optical element.

- 22. (Currently amended) The variable-focus optical element unit according to claim 21, which is a varifocal lens or a variable mirror.
- 23. (Canceled)
- 24. (Currently amended) An imaging system, comprising an image pickup device and an imaging optical system for which a variable-focus optical element as recited in any one of claims 5, 21, and 22 and 23 is used.
- 25. (Currently amended) An imaging system, comprising

   a variable-focus optical element,
   a power source and a driving circuit for driving said variable-focus optical element,
   a computing unit,
   an image pickup device, and

an imaging optical system including a variable-focus optical element as recited in any one of claims 5, 21, 22 and 23, wherein said power source or said driving circuit includes a booster member that generates a voltage necessary in said driving circuit.

said variable-focus optical element is capable of achieving optical deflection,
said computing unit examines a high-frequency component of each image picked up
while being defocused, and the position where the high-frequency component reaches a
maximum is determined to be an in-focus position, and

said variable-focus optical element is used for autofocusing of said imaging optical system.

26. (Currently amended) A cellular phone imaging system, comprising a variable-focus optical element having a deformable optical surface, a control system for driving said variable-focus optical element, NISHIOKA et al. -- 09/957,471 Attorney Docket: 009523-0283651

a computing unit,

an image pickup device, and

an imaging optical system including a variable-focus optical element as recited in any one of claims 5, 21, 22 and 23, wherein said control system includes a booster member for applying a voltage necessary for driving said variable-focus optical element,

said computing unit examines a high-frequency component of each image picked up while being defocused, and the position where the high-frequency component reaches a maximum is determined to be an in-focus position, and

<u>said</u> variable-focus optical element is used for autofocusing of said imaging optical system.

- 27. (Withdrawn) The variable-optical-characteristic optical element according to claim 10 or 11, wherein said transparent member is a lens.
- 28. (Withdrawn) An imaging system, comprising an imaging optical system including a variable-optical-characteristic optical element as recited in claim 10 or 11.
- 29. (Withdrawn) An optical apparatus, comprising a variable-optical-characteristic optical element having a deformable optical surface, wherein a space including a whole deformable portion is closed up with a transparent member and a mechanical member.
- 30. (Withdrawn) An optical apparatus, comprising a variable-optical-characteristic optical element having a deformable optical surface, wherein a space including a whole deformable portion is airtightly closed up with a transparent member and a mechanical member.
- 31. (Withdrawn) The optical apparatus according to any one of claims 16, 17 and 30, wherein said transparent member has a lens action.
- 32. (Withdrawn) The imaging system according to claim 16 or 17, which comprises an image pickup device and an imaging optical system including said variable-optical-characteristic optical element, wherein autofocusing or zooming is carried out by deformation of said optical surface.

NISHIOKA et al. -- 09/957,471 Attorney Docket: 009523-0283651

- 33. (Withdrawn) The imaging system according to any one of claims 16, 17 and 30, which comprises an image pickup device and an imaging optical system including said variable-optical-characteristic optical element, wherein a contrast type of autofocusing is carried out by deformation of said optical surface.
- 34. (Withdrawn) The optical apparatus according to any one of claims 16, 17 or 30, which comprises a display device.
- 35. (Withdrawn) The optical apparatus according to any one of claims 16, 17 or 30, which comprises a lookup table for deforming the optical surface of said variable-optical-characteristic optical element.
- 36. (Withdrawn) The optical apparatus according to any one of claims 16, 17 or 30, which comprises a plurality of said variable-optical-characteristic optical elements, wherein zooming is carried out.
- 37. (Withdrawn) The optical apparatus according to any one of claims 16, 17 or 30, which is a cellular phone.
- 38.-39. (Canceled)
- 40. (New) A cellular phone having said imaging system as recited in any one of claims 24, 25, and 26.